

UNIT V

ELECTROMAGNETIC WAVES

Weightage Marks: 03

TOPICS TO BE COVERED

Displacement cu rrent, el ectromagnetic wa ves an d t heir c haracteristics (qualitative ideas only).

Transverse nature of electromagnetic wav es. Electromagnetic spectrum (radio-waves, micro-waves, infrared, visible, ultraviolet, X-rays, gamma rays) including elementary facts about their uses.

KEY POINTS

- EM waves are produced by accelerated (only by the change in speed) charged particles.
- \overrightarrow{E} and \overrightarrow{B} v ectors oscillate with the frequency of oscillating charged particles.
- Properties of em waves :
 - (i) Transverse nature
 - (ii) Can travel though vacuum.
 - (iii) $E_0/B_0 = E/B = v$

 $v \rightarrow \text{Speed of EM waves.}$

- (iv) Speed = 3×10^8 m/s in vacuum.
- (v) In any medium $v = \frac{1}{\sqrt{\mu \in \Phi}}$



Where
$$\mu=\mu_r\,\mu_0,\;\epsilon=\,\epsilon_r\,\,\epsilon_0$$

$$n=\text{refractive index of medium }\sqrt{\epsilon_r}=n$$
 Also $V=c/n$

- (vi) Wave intensity equals average of Poynting vector $I = |\vec{S}|_{av} = \frac{B_0 E_0}{2\mu_0}$
- (vii) Average electric and average magnetic energy densities are equal.
- In an em spectrum, different waves have different frequency and wavelengths.
- Penetration power of em waves depends on frequency. Higher the frequency larger the penetration power.
- Wavelength λ and frequency v are related with each other v = λv. Here v is the wave velocity.
- A wave travelling along +x axis is represented by

$$\begin{split} E_y &= E_{oy} \cos(\omega t - kx) \\ B_z &= B_{oz} \cos(\omega t - kx) \\ \omega &= \frac{2\pi}{T} = 2\pi v \qquad \qquad \frac{\omega}{k} = \lambda v = v \text{ wave speed} \\ k &= \frac{2\pi}{\lambda} = 2\pi \overline{v} \\ v &\to \text{frequency} \\ \overline{v} &= \frac{1}{\lambda} \text{ wave number .} \end{split}$$

QUESTIONS

VERY SHORT ANSWER QUESTIONS (I Mark)

 Every EM wave has certain frequency. Name two parameters of an em wave that oscillate with this frequency.



- What is the phase difference between electric and magnetic field vectors in an em wave?
- 3. Name em radiations used for detecting fake currency notes.
- Give any two uses of microwaves.
- Name the phenomenon which justifies the transverse nature of em waves.
- Arrange the following em waves in descending order of wavelengths: γ ray, microwaves UV radiations.
- 7. Which component \vec{E} or \vec{B} of an em wave is responsible for visible effect?
- Write expression for speed of em waves in a medium of electrical permittivity
 ∈ and magnetic permeability µ.
- Which of the following has longest penetration power?
 UV radiation, X-ray, Microwaves.
- Which of the following has least frequency?
 IR radiations, visible radiation, radio waves.
- 11. Which physical quantity is the same for microwaves of wavelength 1 mm and UV radiations of 1600 A° in vacuum?
- Name two physical quantities which are imparted by an em wave to a surface on which it falls.
- 13. Name the physical quantity with unit same as that of

$$\left[\mathbf{I_d} = \in_0 \frac{d\phi_e}{dt} \right]$$
 where $\phi_e \rightarrow$ electric flux.

- 14. What is the source of energy associated with propagating em waves?
- 15. What is the wav elength range of em wav es that w ere produced and observed by J.C. Bose?
- Name the device used for producing microwaves.
- Name the em radiations which are detected using Gieger tube.
- Relative electric permittivity of a medium is 8 and relative permeability is close to unity. What is the speed of em waves in the medium.



- Identify the part of the electromagnetic spectrum to which the following wavelengths belong:
 - (i) 10⁻¹ m (ii) 10⁻¹² m
- 20. Name the part of the electromagnetic spectrum of wavelength 10⁻² m and mention its one application.
- 21. Which of the following, if any, can act as a source of electromagnetic waves?
 - (i) A charge moving with a constant velocity.
 - (ii) A charge moving in a circular orbit.
 - (iii) A charge at rest.
- 22. Mention the pair of space and time varying E and B fields which would generate a plane em wave trevelling in Z-direction.
- 23. The charging current for a capacitor is 0.2A. What is the displacement Current?
- 24. Give the ratio of Velocities of light waves of wavelengths 4000A° and 8000A° in Vaccum.
- 25. Which physical quantity, If any has the same value for waves belonging to the different parts of the electromagnetic spectrum?

SHORT ANSWER QUESTIONS (2 Marks)

- Give one use of each of the following (i) UV ray (ii) γ-ray
- Represent EM waves propagating along the x-axis. In which electric and magnetic fields are along y-axis and z-axis respectively.
- 3. State the principles of production of EM waves. An EM wave of wavelength λ goes from vacuum to a medium of refractive index n. What will be the frequency of wave in the medium?
- 4. An EM wave has amplitude of electric field E_0 and amplitude of magnetic field is B_0 the electric field at some instant become $\frac{3}{4}E_0$. What will be magnetic field at this instant? (Wave is travelling in vacuum).



- State two applications of infrared radiations.
- State two applications of ultraviolet radiations.
- State two applications of x-rays.
- Show that the average energy density of the electric field Eequals the average energy density of the magnetics fields B?

SHORT ANSWER QUESTIONS (3 Marks)

- Name EM radiations used (i) in the treatment of cancer.
 - (ii) For detecting flaw in pipes carrying oil.
 - (iii) In sterilizing surgical instruments.
- 2. How would you experimentally show that EM waves are transverse in nature?
- List any three properties of EM waves.
- Find the wavelength of electromagnetic waves of frequency 5 x 10¹⁹ Hz in free space. Give its two applications

NUMERICALS

- The refractive index of medium is 1.5. A beam of light of wavelength 6000
 A° enters in the medium from air. Find wavelength and frequency of light
 in the medium.
- An EM wave is travelling in vaccum. Amplitude of the electric field vector is 5 x 10⁴ V/m. Calculate amplitude of magnetic field vector.
- Suppose the electric field amplitude of an em wave is E₀ = 120 NC⁻¹ and that its frequency is v = 50.0 MHz.
 - (a) Determine B₀, ω, κ and λ
 - (b) Find expressions for E and B.
- A radio can tune into any station of frequency band 7.5 MHz to 10 MHz.
 Find the corresponding wave length range.



- The amplitude of the magnetic field vector of an electromagnetic wave travelling in vacuum is 2.4mT. Frequency of the wave is 16 MHz. Find :
 - (i) Amplitude of electric field vector and
 - (ii) Wavelength of the wave.
- 6. An EM wave travelling through a medium has electric field vector.

 $E_y = 4 \times 10^5 \cos (3.14 \times 10^8 t - 1.57 x)$ N/C. Here x is in m and t in s.

Then find:

(i) Wavelength

(ii) Frequency

(iii) Direction of propagation

(iv) Speed of wave

(v) Refractive index of medium

(vi) Amplitude of magnetic field vector.